

VIRTUAL ATI PREDICTOR (GREEN LIGHT) NEWEST 2024 ACTUAL EXAM COMPLETE QUESTIONS AND CORRECT DETAILED ANSWERS (VERIFIED ANSWERS)

A nurse is caring for a client who is at 33 weeks of gestation following an amniocentesis. The nurse should monitor the client for which of the following complications?

- A. Vomiting
- B. Hypertension
- C. Epigastric pain
- D. Contractions - ANSWERS,D. Contractions

A nurse is providing teaching to an older adult client about methods to promote nighttime sleep. Which of the following instructions should the nurse include?

- A. Stay in bed at least 1 hr if unable to fall asleep
- B. Take a 1 hr nap during the day
- C. Perform exercises prior to bedtime
- D. Eat a light snack before bedtime - ANSWERS,D. Eat a light snack before bedtime

A nurse on a telemetry unit is caring for a client who becomes unconscious and whose monitor displays ventricular tachycardia. Which of the following actions should the nurse take first after determining the client does not have a palpable pulse?

- A. Assess heart sounds
- B. Defibrillate
- C. Establish IV access
- D. Administer epinephrine - ANSWERS,B. Defibrillate

A nurse is admitting a client who 1 week postpartum and reports excessive vaginal bleeding. The nurse does not speak the same language as the client. The client's partner and 10-year-old child are accompanying her. Which of the following actions should the

nurse take to gather the client's admission data?

- A. Have the client's child translate
- B. Allow the client's partner to translate
- C. Request a female interpreter through the facility
- D. Ask a nursing student who speaks the same language as the client to translate - ANSWERS,C. Request a female interpreter through the facility

A nurse is caring for a client who is febrile. To reduce the client's fever, the nurse applies a cooling blanket. Which of the following findings indicates the client is having an adverse reaction to the cooling?

- a. Flushing
- b. Tachycardia
- c. Restlessness
- d. Shivering - ANSWERS,d. Shivering

A nurse is caring for a client who has deep-vein-thrombosis of the left lower extremity. Which of the following actions should the nurse take? (Exhibit)

- A. Position the client with the affected extremity lower than the heart
- B. Withhold heparin IV infusion PTT- 30-40 seconds; x2 if on heparin
- C. Administer acetaminophen
- D. Massage the affected extremity every 4 hr - ANSWERS,B. Withhold heparin IV infusion PTT- 30-40 seconds; x2 if on heparin

A nurse is reviewing assessment data from several clients. For which of the following clients should the nurse recommend referral to a dietitian?

- A. An older adult client who has a BMI of 24
- B. A client who has a nonhealing leg ulcer
- C. An older adult client who has presbyopia
- D. A client who has an albumin level of 3.7 g/dL (normal 3.4-5.4) - ANSWERS,B. A client who has a nonhealing leg ulcer

8. A nurse is providing discharge teaching to a client who has a chronic kidney disease and is receiving hemodialysis. Which of the following instructions should the nurse include in the teaching?

- a. Eat 1 g/kg of protein per day
- b. Take magnesium hydroxide for indigestion
- c. Drink at least 3 L of fluid daily-

Consume foods high in potassium- restrict - **ANSWERS,a. Eat 1 g/kg of protein per day**

A nurse is caring for a client who is receiving intermittent enteral tube feedings. Which of the following places the client at risk for aspiration?

- A. Sitting in a high-Fowler's position during the feeding
- B. A history of gastroesophageal reflux disease
- C. Receiving a high osmolarity formula
- D. A residual of 65 mL 1 hr postprandial? - **ANSWERS,B. A history of gastroesophageal reflux disease**

?A nurse is providing prenatal teaching to a client who is at 12 weeks of gestation. The nurse should tell the client that she will undergo which of the following screening tests at 16 weeks of gestation?

- A. Chorionic villus sampling- as early as 8 weeks
- B. Cervical cultures for chlamydia- 1st appointment.
- C. Nonstress test -28 weeks
- D. Maternal serum alpha-fetoprotein- 16 to 18 weeks - **ANSWERS,D. Maternal serum alpha-fetoprotein- 16 to 18 weeks**

A nurse is caring for a client who is on bed rest. The nurse should recognize that which of the following findings is a complication of immobility?

- A. Decreased serum calcium levels- increased serum calcium
- B. Increased blood pressure- hypotension
- C. Swollen area on calf
- D. Urinary frequency- - **ANSWERS,C. Swollen area on calf**

12. A nurse in acute care mental health facility is participating in a medication-education group. The leader of the group uses a laissez-faire leadership style. Which of the following actions should the nurse expect from the leader during the session?

- A .The leader encourages group members to remain silent until questions are called for

- B. The leader lecture about medication adverse effects to the group members
- c. The leader allows the group to discuss whatever they would like to regarding their medications
- d. The leader has group members vote on what they would like to learn about during the session - **ANSWERS,d. The leader has group members vote on what they would like to learn about during the session**

A nurse is providing teaching about digoxin administration to the parents of a toddler who has heart failure. Which of the following statements should the nurse include in the teaching?

- A "You can add the medication to a half-cup of your child's favorite juice."
- B "Repeat the dose if your child vomits within 1 hour after taking medication." X
- C "Limit your child's potassium intake while she is taking this medication."
- D "Have your child drink a small glass of water after swallowing the medication." - **ANSWERS,D**
"Have your child drink a small glass of water after swallowing the medication."

A nurse is providing teaching to a client who has a depressive disorder and a new prescription for phenelzine. Which of the following foods should the nurse instruct the client to avoid?

- A. Grapefruit
- B. Spinach
- C. Cottage cheese- cream cheese ok.
- D. Smoked salmon - **ANSWERS,D. Smoked salmon**

A nurse is planning care for a client who has COPD and weighs 99 lb. The provider has prescribed a diet of a 1.5 g protein/kg/day. How many grams of protein per day should the nurse include in the client's dietary plan? (Round to the nearest whole number - **ANSWERS,a. 68**)

A nurse is planning care for a client who has bipolar disorder and is experiencing mania. Which of the following interventions should the nurse include in the plan?

- A. Encourage the client to spend time in the day room
- B. Withdraw the client's TV privileges if he does not attend group therapy X
- C. Encourage the client to take frequent rest periods
- D. Place the client in seclusion when he exhibits signs of anxiety X - **ANSWERS,C. Encourage the client to take frequent rest periods**