

**APEA PREDICTOR NP TEST EXAM 2025 WITH 1010+
QUESTIONS AND VERIFIED ANSWERS NEWEST GRADED
A+/ 2025 QUIZ BANK**

A nurse has been discussing the nutritional needs of children with a group of parents in a clinic. Which of these statements, if made by the parent of a 2-year-old child, should the nurse follow up?

- a. "I give my child slices of cheese as an afternoon snack."
 - b. "I give my child a cup of skim milk as an afternoon snack."
 - c. "I give my child some popcorn as an afternoon snack."
 - d. "I give my child some yogurt as an afternoon snack."
- ✓ c. "I give my child some popcorn as an afternoon snack."

Which of these client care situations has the greatest potential for presenting an ethical dilemma for a nurse?

- a. Participating in pregnancy termination procedures.
 - b. Counseling a client who is terminally ill with AIDS.
 - c. Discussing contraception options with adolescents.
 - d. Caring for a client who is from a different culture than the nurse.
- ✓ Participating in pregnancy termination procedures.

A nurse takes the weight of a normal 2-year-old child who comes in to the pediatric clinic for a well-child visit. If the child weighted 7 lbs, 2 oz. at birth, how much should the nurse expect the child to weight at this visit?

- a. 14 lbs, 2 oz.
- b. 18 lbs, 6 oz.
- c. 28 lbs, 8 oz.

d. 45 lbs, 10 oz.

✓ c. 28 lbs, 8 oz.

Which assessment information should a nurse obtain first when a pregnant woman and her husband arrive at the Labor and Delivery Unit?

- a. Whether the couple attended birthing classes.
- b. The frequency and intensity of labor contractions.
- c. The number of previous pregnancies and outcomes.
- d. The amount and time of the client's last food intake.

✓ b. The frequency and intensity of labor contractions.

A client who has Parkinson's disease has been identified as being at risk for falls. Which of these actions by a nurse is most likely to reduce the client's risk of falling?

- a. Monitor the client's blood pressure after ambulation.
- b. Ensure the client wears socks when ambulating.
- c. Encourage frequent weight-bearing exercise.
- d. Assign an assistant to remain with the client when ambulating.

✓ d. Assign an assistant to remain with the client when ambulating.

A nurse is monitoring a client who had a cystoscopy six hours ago. The nurse should inform the physician of which these manifestations?

- a. The client has pink-tinged urine.
- b. The client reports burning on urination.
- c. The client's white blood cell count is 15,000 mm³.
- d. The client appears drowsy.

✓ c. The client's white blood cell count is 15,000 mm³.

Which of these actions should a nurse perform prior to a client's scheduled hemodialysis?

- a. Administer prophylactic antibiotics.
- b. Weigh the client.
- c. Give the client normal saline solution to drink.
- d. Measure the urine specific gravity.

✓ **b. Weigh the client.**

Which of these behaviors, if taken by a staff nurse on a psychiatric unit, indicates a correct understanding of therapeutic techniques?

- a. A nurse smiles when speaking with clients who are manic.
- b. A nurse uses touch to communicate concern with a depressed client.
- c. A nurse sets consistent limits with manipulative clients.
- d. A nurse shares own anxiety reduction techniques with a client who has panic attacks.

✓ **c. A nurse sets consistent limits with manipulative clients.**

A client has been in bed for the past three days. Which of these measures should a nurse include before assisting the client out of bed?

- a. Having the client drink a glass of water.
- b. Raising the head of the bed.
- c. Flexing the client's knees.
- d. Assessing the lung sounds.

✓ **b. Raising the head of the bed.**

A client who has insulin-dependent diabetes mellitus asks a nurse, "What should I do when I feel nervous, sweaty, and hungry?" The nurse should give the client which of these instructions? a.

"Lie down and rest."

b. "Eat a carbohydrate snack."

c. "Take your prn dose of insulin."

d. "Add a slice of bread to your next meal."

✓ **b. "Eat a carbohydrate snack."**

Which of these tasks should a licensed practical nurse (LPN) delegate to a nursing assistant?

a. Checking the 11 A.M. blood sugar for a client who has ketoacidosis.

b. Measuring the pulse oximetry level for a client who has status asthmaticus.

c. AMbulating a client who had a hip replacement three days ago.

d. Changing the dressing for a client who had wound debridement last week.

✓ **c. AMbulating a client who had a hip replacement three days ago.**

A 36-week-pregnant woman awakens to find she is having profuse, red vaginal bleeding. A nurse should prepare the woman to have an immediate sonogram to determine the:

a. location of the placenta.

b. uterine response to labor.

c. the fetus's current weight.

d. condition of the uterine vascular bed.

✓ **location of the placenta.**

A nurse is planning to interview a client who speaks limited English. Which of these strategies should the nurse include?

a. Smile frequently during the interview interview to reduce the client's anxiety.