

A nurse is caring for a client.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

Graphic Record

Admission weight 74.8 kg (165 lb)
Current weight 74.38 kg (164 lb)

Complete the following sentence by using the lists of options.



The nurse understands that the patient has likely developed
Select... and will need to be monitored for
Select...

CONTINUE 

A nurse is caring for a client.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

I&O

Prior Day Intake and Output
0800:

Intake 30 mL orange juice
Output 800 mL clear urine

1200:

Intake 60 mL water with lunch
Output 300 mL clear urine

1800:

Intake 120 mL water with dinner
Output 500 mL clear urine

2100:

Intake 30 mL dark soda
Output 200 mL clear urine

A nurse is caring for a client.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

Nurses' Notes

0800:

A client who has bipolar disorder is admitted to the inpatient psychiatric unit. During the morning assessment, the client reports blurred vision and an increase in urine output. It is noted that the client is having clonic jerking of upper extremities. Provider notified and laboratory tests ordered. Skin is warm and dry without rash.

A nurse is caring for a client.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

Laboratory Results

0900:

Creatinine 0.9 mg/dL (0.5 to 1.1 mg/dL)
Lithium level 2.5 mEq/L (0.6 to 1.2 mEq/L)
Fasting blood glucose 80 mg/dL (74 to 106 mg/dL)

Urinalysis:

Appearance: clear (clear)
Color: faint yellow (amber yellow)
Specific gravity 1.32 (adult client 1.01 to 1.025)
Nitrites: none (none)
Ketones: none (none)
Bilirubin: none (none)

A nurse is caring for a client.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

Provider Prescriptions

Lisinopril 10 mg daily
Lithium 600 mg BID
Omeprazole 40 mg daily

Select...

lithium toxicity

urinary tract infection

metabolic syndrome

neuroleptic malignant syndrome

Option 1-

lithium toxicity

Select...

blood glucose levels

seizure activity

symptoms of infection

temperature over 39.4° C (103° F)

Option2-

Lithium toxicity, seizure activity

Question: 2 of 180

Time Remaining: 03:53:45
Pause Remaining: 00:05:00

PAUSE



A nurse is preparing to initiate intravenous fluids via infusion pump for a client. Which of the following actions should the nurse take?



- Obtain a surge protector that can accommodate the pump and several other appliances.
- Verify that the extension cord for the pump is ungrounded.
- Report the pump has a frayed cord and proceed with the infusion.
- Check the expiration date on the safety inspection sticker of the pump.

Question: 3 of 180

Time Remaining: 03:53:37
Pause Remaining: 00:05:00

PAUSE



A nurse is caring for a client who has an implanted venous access port. Which of the following should the nurse use to access the port?



- A noncoring needle
- An angiocatheter
- A butterfly needle
- A 25-gauge needle

Question: 4 of 180

Time Remaining: 03:53:23
Pause Remaining: 00:05:00

PAUSE



A nurse is conducting an initial assessment of a client and notices a discrepancy between the client's current IV infusion and the information received during the shift report. Which of the following actions should the nurse take?




- Contact the charge nurse to see if the prescription was changed.
- Complete an incident report and place it in the client's medical record.
- Submit a written warning for the nurse involved in the incident.
- Compare the current infusion with the prescription in the client's medication record.



Question: 5 of 180

Time Remaining: 03:52:44
Pause Remaining: 00:05:00



A nurse is caring for an older adult client.

Exhibit 1 Exhibit 2

Nurses' Notes

0945:

Adult child accompanying parent reports cognitive and physical decline in the client, expressing concern over memory loss, thought processes, appetite, and self-care. Adult child states, "My sibling and I hired help at home for my parent. We thought that might help, but it has not. I found the title to the car today, signed over to me."

Client makes poor eye contact, speaks in a monotone voice, and has a lack of facial expression.

Client reports sleeping 7 hr a night and getting up "once or twice per night to go to the bathroom." Client reports not wanting to eat anymore. Client's child reports their parent has lost about 8 lb in the past month.

1030:

Client found sitting in waiting room, head in hands. Client says, "Why don't you just leave me? I am of no use."

Click to highlight the findings that require immediate follow-up. To deselect a finding, click on the finding again.



System	Findings
General	Adult child accompanying parent reports decline in client, expressing concern over memory and thought process, appetite, and self-care. Adult child states, "My sibling and I hired help at home for my parent. We thought that would help but it has not. I found the title to the car today, signed over to me."
Physical	Client makes poor eye contact, speaks in a monotone voice, and has a lack of facial expression. Client reports sleeping 7 hr a night and getting up "once or twice per night to go to the bathroom." Client reports not wanting to eat anymore. Client's child reports their parent has lost about 8 lb in the past month. Heart rate 68/min
Affect	Client says, "Why don't you just leave me? I am of no use."