

RN ATI PEDIATRIC NURSING PROCTORED EXAM WITH NGN 2023

Question 1

A nurse is providing teaching about home safety to the adult child of an older adult client who is postoperative following knee replacement surgery. Which of the following instructions should the nurse include?

- Encourage the client to avoid wearing shoes at home.
- Place a throw rug over electrical cords.
- Mark the edges of the doorway to the house with tape.
- Ensure that area rugs have rubber backs.

Question 2

Time remaining: 00:05:00

A nurse is planning care for a school-age child who is 4 hr postoperative following appendicitis. Which of the following actions should the nurse include in the plan of care?

- Apply a warm compress to the operative site once daily.
- Administer analgesics on a scheduled basis for the first 24 hr.
- Give cromolyn nebulized solution every 8 hr.
- Offer small amounts of clear liquids 6 hr following surgery.

Question 3

A nurse in an emergency department is caring for a 3-year-old child who has suspected epiglottitis. Which of the following actions should the nurse take?

- Prepare to assist with intubation.
- Obtain a throat culture.
- Suction the child's oropharynx.
- Prepare a cool mist tent.

Question 4

Pause Remaining: 00:02:20  

A nurse is preparing to admit a 6-year-old with varicella to the pediatric unit. Which of the following actions should the nurse take?

- Assign the child to a negative air pressure room.
- Administer aspirin to the child for fever.
- Use droplet precautions when caring for the child.
- Assess the child for Koplik spots.



Question 5

Pause Remaining: 00:02:20  

A nurse in a clinic is planning care for a child who has ADHD and is taking atomoxetine. Which of the following laboratory values should the nurse monitor?

- Liver function tests
- Kidney function tests
- Hemoglobin and hematocrit
- Serum sodium and potassium

Question 6

Pause Remaining: 00:02:20  

A nurse is caring for an adolescent client who has cystic fibrosis. Which of the following actions should the nurse instruct the client to take prior to initiating postural drainage?

- Take pancrelipase.
- Complete oral hygiene.
- Eat a meal.
- Use an albuterol inhaler.

Question 10

A nurse is caring for a 9-year-old child at a clinic.

Exhibit 1 Exhibit 2 Exhibit 3

Vital Signs

1000:

Temperature 36.8° C (98.2° F)
Heart rate 102/min
Respiratory rate 22/min
BP 100/60 mm Hg
Oxygen saturation 98% on room air

The nurse should determine that the assessment findings are consistent with which of the following conditions?

For each potential condition, click to specify if the assessment findings are consistent with a sprain, a fracture, or a dislocation. Each finding may support more than 1 condition.

Assessment Findings	Sprain	Fracture	Dislocation
Edema	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ecchymosis	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pain level	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Sensation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Question 11

The nurse is continuing to care for the child.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

Provider Prescriptions

1030:

Obtain x-rays of right arm, wrist, and elbow.

Complete the following sentence by using the lists of options.

The child is at highest risk for developing Select... as evidenced by the child's Select....

Question 12

The nurse is continuing to care for the child.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4 Exhibit 5

Assessment

1000:

Child is alert and appears developmentally appropriate for their age and well nourished.

Respirations easy and unlabored. Abdomen nondistended. Right forearm and fingers are edematous. Ecchymotic area noted on outer aspect of the forearm. Radial pulse +2. Fingers slightly cool to touch. Child can move fingers and reports a mild "tingling" sensation. Child verbalizes a pain level of 4 on a scale of 0 to 10. Abrasion noted on right knee. No active bleeding. Multiple areas of bruising noted on lower extremities in various stages of healing.

Complete the following sentence by using the lists of options.

The child is at highest risk for developing compartment syndrome as evidenced by the child's paresthesia.

Question 13