ATI RN Maternal Newborn QuestionBank 2023/24

(300+ Questions with Correct Answers)

Question: 1 of 70

A nurse is caring for a client who is experiencing a postpartum hemorrhage and has a new prescription for misoprostol.

Exhibit 2 - Medical History

Preeclampsia

Cesarean birth of viable twin male newborns

The nurse is assessing the client 30 min later. How should the nurse interpret the findings?

For each finding, click to specify whether the finding is unrelated to the diagnosis, an indication of potential improvement, or an indication of potential worsening condition.

Findings 30 min	Unrelated to	Indication of potential	Indication of potential
later	diagnosis	improvement	worsening condition
Fundus at level of			
umbilicus		•	
Cloudy urine			•
Blood pressure			_
80/50 mm Hg			•
Moderate lochia		•	
rubra		•	
Thready pulse			•

Findings 30 min Unrelated to Indication of potential Indication of potential later diagnosis improvement worsening condition

Fundus firm to palpation

Question: 2 of 70

A nurse is assessing a postpartum client during a follow-up visit.

Exhibit 3 - Vital Signs

Time Vital Signs

0930 Temperature 37°C (98.6°F)

Pulse rate 78/min

Respiratory rate 12/min

Blood pressure 124/80 mm Hg

Pulse oximetry 100%

Complete the following sentence by using the list of options.

The nurse is teaching the client about postpartum depression. The nurse should encourage the client to **maintain a set schedule** and **exercise 30 min per day** to help prevent postpartum depression.

✓ (Correct answer)

Question: 3 of 70

A nurse is assessing a postpartum client who delivered vaginally 8 hr ago.

Exhibit 1 - Nurses' Notes: 0700

Breasts soft, nipples intact. Uterus palpated firm, midline, and at the level of the umbilicus.

Moderate amount of lochia rubra. Episiotomy site well approximated with mild edema and

ecchymosis. Client reports pain as 2 on a scale of 0 to 10. Able to void spontaneously; no bladder

distention. Deep tendon reflexes 1+. Peripheral edema 2+ in bilateral lower extremities.

Exhibit 2 - Nurses' Notes: 1100

Breasts soft, nipples intact. Uterus palpated soft with lateral deviation and 1 cm above the

umbilicus. Large amount of lochia rubra. Episiotomy site well approximated with mild edema

and ecchymosis. Client reports pain as 3 on a scale of 0 to 10. Deep tendon reflexes 1+.

Peripheral edema 2+ in bilateral lower extremities.

Select the 3 findings that require immediate follow-up.

✓ Lateral deviation of the uterus

✓ Deep tendon reflexes 1+

✓ Pain rating of 3 on a scale of 0 to 10 (increased)

Peripheral edema 2+ bilateral lower extremities

Uterine tone soft

Large amount of lochia rubra

Blood pressure 136/86 mm Hg

Breasts soft

Question: 5 of 70

A nurse is caring for a client who is receiving an epidural block with an opioid analgesic. The nurse should monitor for which of the following findings as an adverse effect of the medication? Hyperglycemia

✓ Bilateral crackles

Hypotension

Polyuria

Question: 6 of 70

A nurse is providing teaching to a client who is at 35 weeks of gestation and has a prescription for an amniocentesis. Which of the following client statements indicates an understanding of the

teaching?

✓ "I should empty my bladder before the procedure."

"I will be lying on my side during the procedure."

"I will be asleep during the procedure."

"I should start fasting 24 hours before the procedure."

Question: 9 of 70

A nurse is caring for an infant who has signs of neonatal abstinence syndrome. Which of the

following actions should the nurse take?

• Monitor blood glucose level every hr.

• Place the infant on his back with legs extended.

✓ Initiate seizure precautions.

Provide a stimulating environment.

Question: 10 of 70