## ngn ati comprehensive exit final exam nursing students. already graded a+

A home health nurse is caring for a child who has Lyme disease. Which of the following is an appropriate action for the nurse to take? - ANSWER $\sqrt{\sqrt{\sqrt{-}}}$ -Ensure the state health department has been notified

A nurse is caring for a client who has a vented NG tube set to low intermittent suction and has vomited. Which of the following actions should the nurse perform first? -ANSWER $\sqrt{\sqrt{\sqrt{-Evaluate}}}$  functioning of the suction device

While performing a routine assessment, a nurse notices fraying on the electrical cord of a client's continuous passive motion device. Which of the following actions should the nurse take first? - ANSWER / / / - Remove the device from the room

A nurse is setting up a sterile field to perform wound irrigation for a client. Which of the following actions should the nurse take when pouring the sterile solution? - ANSWER $\sqrt{\sqrt{\sqrt{-R}}}$ -Remove the cap and place it sterile side up on a CLEAN surface

A nurse is creating a plan of care for a female client who has recurrent UTIs. Which of the following interventions should the nurse include in the plan? - ANSWER $\sqrt{\sqrt{-1}}$ Wear loose fitting underwear

A nurse is caring for an infant who has gastroenteritis. Which of the following assessment findings should the nurse report to the provider? - ANSWER $\sqrt{\sqrt{-Sunken}}$ fontanels and dry mucous membranes

A nurse is conducting health promotion education regarding contraindications to combination oral contraceptives use to a group of women. Which of the following conditions should the nurse include in the teaching? - ANSWER / / /-Hypertension

A nurse is providing teaching to a client who has a depressive disorder and a new prescription for amitriptyline. Which of the following statements by the client indicates an understanding of the teaching? - ANSWER√√√-"I know it will be a couple of weeks before the medication helps me feel better."

A nurse is caring for a client who is immobile. Which of the following interventions is appropriate to prevent contracture? - ANSWER $\sqrt{\sqrt{\sqrt{-}}}$ -Apply an orthotic to the client's foot.

A nurse is assessing a client who is postoperative following abdominal surgery and has an indwelling urinary catheter that is draining dark yellow urine at 25mL/hr. Which of the following interventions should the nurse anticipate? - ANSWER / / / - Obtain a urine specimen for culture and sensitivity

A nurse is reporting a client's laboratory tests to the provider to obtain a prescription for the client's daily warfarin. Which of the following laboratory tests should the nurse plan to report to obtain the prescriptions for the warfarin? - ANSWER $\sqrt{\sqrt{\sqrt{-1NR}}}$ 

A nurse is assessing a client who is taking haloperidol and is experiencing pseudo parkinsonism. Which of the following findings should the nurse document as a manifestation of pseudo parkinsonism? - ANSWER  $\sqrt{\sqrt{-}}$  Shuffling gait

A nurse is caring for a client who is experiencing expressive aphasia and right hemiparesis following a stroke. Which of the following actions by the nurse best promotes communication among staff caring for the client?
ANSWER√√√-Having interdisciplinary team meetings for the client on a regular basis.

A nurse is caring for a 2 year old toddler. Which of the following food choices should the nurse recommend to promote independence in eating? - ANSWER $\sqrt{\sqrt{-}}$ Banana slices

A nurse on a medical-surgical unit is notified that a mass casualty event has occurred in the community. Which of the following actions should the nurse plan to take? -ANSWER $\sqrt{\sqrt{\sqrt{-D}}}$ -Determine the medical needs of incoming clients through the emergency department

A nurse has just received change-of-shift report for four clients. Which of the following clients should the nurse assess first? - ANSWER / / / - A client who was just given a glass of orange juice for a low glucose level

A nurse is performing postmortem care for a recently deceased client prior to the client's family visit. Which of the following actions should the nurse plan to take? - ANSWER $\sqrt{\sqrt{\sqrt{-Hold}}}$  the client's eyes shut for a few seconds.

A nurse is admitting a client who has schizophrenia. The client states, I'm hearing voices. Which of the following responses is the priority for the nurse to state? - ANSWER $\sqrt{\sqrt{\sqrt{-}}}$ -What are the voices telling you?

A nurse is administering furosemide IV bolus to a client who has fluid volume excess. The nurse should recognize