

TEST BANK FOR 21ST CENTURY PEDIATRIC NURSING PERRY: CHAPTER
26 | MATERNAL CHILD NURSING CARE, 6TH EDITION /2024/2025 QUESTIONS &
CORRECT ANSWERS | GRADED A+

Speaking or arguing in support of a policy or a person's rights. - ANSWER-advocacy

A clinical judgment about individual, family, or community responses to actual or potential health problems or life processes. - ANSWER-nursing diagnosis

What is considered

the leading cause of neonatal death in the United States? - ANSWER-low-birth weight (LBW)

Most deaths from injuries occur in _____. - ANSWER-boys

Accidents continue to

account for more than ____ times as many teen deaths as any
other cause. - ANSWER-3

____ are the leading cause of death in children over age 1 year,
with the majority being MVA injuries. - ANSWER-Injuries

Injuries are the leading cause of death in children over age ____ year,
with the majority being MVA injuries. - ANSWER-1

Injuries are the leading cause of death in children over age 1 year,
with the majority being ____ injuries. - ANSWER-motor vehicle accident (MVA)

Children ages ____ years are at greatest risk of bicycling
fatalities. - ANSWER-5 to 9

___ out of 5 adolescents have a mental health problem - ANSWER-1

___ out of 10 adolescents have a serious emotional problem that affects daily functioning. - ANSWER-1

The infant ___ is the number of deaths during the first year of life per 1,000 live births. - ANSWER-mortality rate

The infant mortality rate is the number of deaths during the first year of life per ___ live births. - ANSWER-1,000

Childhood ___ encompasses acute illness, chronic disease, and disability. - ANSWER-morbidity

Eighty percent of childhood illnesses are attributable to ___. - ANSWER-infections

The ___ refers to behavioral, social, and educational problems that can significantly alter a child's health. - ANSWER-new morbidity

What are two important determinants of the prevalence of injuries at a given age and thus help to direct preventive measures? - ANSWER-(1) developmental stage
(2) environment

The philosophy of ___ recognizes that the family is the constant in a child's life and that service systems and personnel must support, respect, and enhance the family's strength and competence. - ANSWER-family-centered care

What some roles of the pediatric nurse? - ANSWER-(1) therapeutic relationship (2) family advocacy (3) disease prevention and health promotion (4) health teaching (5) support and counseling (6) coordination and collaboration (7) ethical decision making (8) research

The ____ is the naming of the cue clusters that are obtained during the assessment phase. - ANSWER-nursing diagnosis

What is the major cause of childhood morbidity? - ANSWER-childhood infections

True or False. Children who have been adopted from foreign countries may be highly susceptible to infections. - ANSWER-True. Children adopted from foreign countries cannot adapt to the change in the environment and are highly susceptible to infections.

True or False. Children may be less susceptible to upper respiratory tract infection during early childhood. - ANSWER-False. During early childhood, the immune system is not well developed and children are highly susceptible to upper respiratory tract infections.

True or False. Children who are sent to day care centers may be less susceptible to infections." - ANSWER-False. Children who are sent to daycare centers are highly susceptible to communicable diseases like infection.

One of the major disadvantages of long-term ventilator care is _____. - ANSWER-ventilator-associated pneumonia

What is one of the major disadvantages of long-term ventilator care? - ANSWER-ventilator-associated pneumonia

According to the ____, children are the first to receive protection in disaster. - ANSWER-United Nations' Declaration of the Rights of the Child

According to the United Nations' Declaration of the Rights of the Child, children are the first to receive _____. - ANSWER-protection in disaster

What is the leading cause of death in children ages 5 to 9? - ANSWER-unintentional injuries and accidents

Suicide is not a significant cause of mortality in children under the age of _____. - ANSWER-10

The _____ criteria are used for grading the evidence of research by nurses. - ANSWER-GRADE

Studies with at least one critical outcome from very indirect evidence should be graded as _____ according to the GRADE criteria. - ANSWER-very low

Evidence with at least one critical outcome from the observation studies should be graded as _____ according to the GRADE criteria. - ANSWER-low

If evidence is found to be unusually strong from unbiased observational studies, it should be graded as _____ according to the GRADE criteria. - ANSWER-moderate

Studies with exceptionally strong evidence from unbiased observational studies should be graded as _____ according to the GRADE criteria. - ANSWER-high

How is the infant mortality rate (IMR) calculated? - ANSWER- $\text{IMR} = \frac{\text{\# of deaths under 1 year}}{\text{\# of live births}}$

What does IMR stand for? - ANSWER-infant mortality rate

_____ are the most common cause of death and disability to children in the United States. - ANSWER-Injuries

What does LBW stand for? - ANSWER-low birth weight

_____ is considered the leading cause of neonatal death in the United States. - ANSWER-Low birth weight (LBW)