ATI MEDICAL SURGICAL TEST BANK CARDIOVASCULAR,ENDOCRINE,GASTROINTESTINAL, IMMUNE &INFECTOUS,MUSCULOSKELETAL,NEUROSENSORY,O NCOLOGY,RENAL& URINARY,RESPIRATORY 500 QUESTIONS AND CORRECT ANSWERS | AGRADE

A nurse has removed a sterile pack from its outside cover and place it on a clean work surface in preparation for an invasive procedure. Which of the following flaps should the nurse unfold first:

A. closest to body

B. right side

C. left side

D. farthest from body - **√ANSWER√/**->>>>D

A nurse is wearing sterile gloves in prep for performing a sterile procedure. Which of the following objects can the nurse touch without breaking sterile technique (Select all that apply)

- A. bottle containing sterile solution
- B. edge of sterile drape at the base of the field
- C. inner wrapping of an item on the sterile field
- D. irrigation syringe on the sterile field
- E. one gloved hand with the other gloved hand -

✓ ✓ ANSWER ✓ ✓ ->>>>>C, D, E

A nurse has prepared a sterile field for assisting a provider with a chest tube insertion. Which of the following events should the nurse recognize as contaminating the field (Select all that apply)

A. provider drops a sterile instrument onto the near side of the sterile field

B. nurse moistens a cotton ball with sterile normal saline and places it on sterile field

C. procedure is delayed 1hr because the provider receives an emergency call

D. nurse turns to speak to someone who enters through the door behind the nurse

E. clients hand brushes against the outer edge of the sterile field - $\sqrt{ANSWER}\sqrt{\sqrt{->>>}B}$, C, D

TB is suspected, what precautionary actions to do? -

✓ ✓ ANSWER ✓ ✓ ->>>>>-negative airflow room, airborne precautions

-nurses wear N95 mask, client wears if going out of the room

-admin heat & humidified O2 therapy as prescribed

TB interventions: - \checkmark ANSWER \checkmark ->>>-family members should be screened

-4 meds taken for 6-12 months

-not contagious when they have 3 negative sputum cultures

What to watch for when on Isoniazid: - ANSWER

What to watch for when on Rifampin: - √ANSWER

-watch for jaundice

-interferes with birth control

What to watch for when on Ethambutol: -

<b

Client teaching for genital herpes: - ✓ ✓ ANSWER ✓ ✓ ->>>>can be transmitted with or w/out blisters -sexual partners should be informed & screened -no cure, just meds to help w/symptoms -abstain from intercourse until lesions are completely healed -gently clean areas w/mild soap & water

Caring for a client following a stroke of the right side with leftsided hemipalegia: - $\sqrt{4}$ ANSWER $\sqrt{4}$ ->>>>-thicken liquids/foods

-high fowlers

-speech therapist for helping w/eating & speech

-monitor gag reflex/swallowing abilities