ATI RN nursing care of children Exam 2023-2024 ACTUAL EXAM AND CORRECT DETAILED ANSWERS WITH RATIONALES

Toddlers vaccines and nutrition $-\sqrt{\sqrt{ANSWER}\sqrt{\sqrt{->>>>}}}$ shots: IPV, MMR, PCV, Varicella, Hep A, DTAP, flu

nutrition: low fat milk, 4-6 oz juice/day. 24 gauge needle for shots

Preschooler skills - $\sqrt{ANSWER}\sqrt{\sqrt{->>>>}}$ rides trike (3), throws ball, scissors to cut shapes (4), jump rope/stick figure with 7 body parts (5 yo), right from left hand (6yo), dress up, associative play

Preschool beliefs - ✓✓ANSWER✓✓->>>>>magical thinking, animism (inanimate objects are alive), time in relation to event ("after you eat lunch")

nutrition: 5 servings of fruits and veggies

activity: less than 2 hrs of screen time, >1hr PE

sleep: 12 hours w consistent bedtime routine

adolescent shots, injury - \(\sqrt{ANSWER} \sqrt{\sqrt{->>>>>} MCV4 booster, flu auto safety, monitor for mental health, risk for substance abuse

med admin - ✓✓ ANSWER ✓ ✓ ->>>> use smallest measuring device available

do not measure with teaspoon

optic/otic meds - $\sqrt{\ }$ ANSWER $\sqrt{\ }$ ->>>>drops: pull eyelid down and put med in conjunctival sac

ointment: apply from inner to outer.

drops, then ointment

otic: under three, pinna down and back

over 3, pinna up and back

meds: SQ, intraderm, IM - ✓ ✓ ANSWER ✓ ✓ ->>>> ID: 26-30 gauge,

bevel up, 15 degree angle

SQ: into fat, 90 degree angle

IM: vastus lateralis for infants and small kids

IV meds - √√ANSWER√√->>>>>EMLA 60 min before procedure

play therapy

swaddle infant before and offer sucrose before, during and after

Pain assessment - ✓✓ANSWER✓✓->>>>CRIES: under 6 months

FLACC: 2 months- 7yrs

FACES: 3+

Oucher: 3-13 (pics)

numeric: 5+

hospitalization response - $\sqrt{ANSWER}\sqrt{\sqrt{->>>>}}$ infant: be

consistent

toddler: seperation anxiety, regression

preschool: magical thinking

school age: be factual

teen: body image issues and isolation from peers

death and dying -

√✓ANSWER√✓->>>>preschool: sees death as
temporary

school age: fear of unknown

teen: adult-like concept of death

death/dying signs of death - $\sqrt{\ }$ ANSWER $\sqrt{\ }$ ->>>>sensation of heat with cool skin, decreased movement, Decreased LOC, Cheyne-Stokes

nurse: remove tubes, allow family to stay with body/hold child complicated grief: extends for >1 yr after loss, affects ADLs

parenting styles - $\sqrt{\ }$ ANSWER $\sqrt{\ }$ ->>>>>-authoritarian: parents control behavior thru unquestioned rules/expectations

-permissive: parent has little control, child makes decisions

-authoritative: parents set rules, but explains reasoning. Enforce consequences for breaking rules

-passive: parent uninvolved and indifferent

6-12 yo activity/sleep/shots -

√ ✓ ANSWER

√ ✓ ->>>> interact with peer group, cooperative play, sports

sleep: 9 hrs

shots: TDAP, HPV, meningicoccal, flu

children injury preventuon - ✓✓ANSWER✓✓->>>>>helmets, locks on firearms, water heaters < 120 degrees, bike safety