## ATI RN TARGETED MEDSURG RENAL & URINARY QUESTIONS AND ANSWERS 2024

A nurse in the emergency department is caring for a client who report costovertebral angle tenderness, nausea, and vomiting. Which of the following laboratory values should the nurse report to the provider? - ✓ ✓ - WBC count 15,000

A nurse is assessing a client who has a chronic kidney disease and has completed the third peritoneal dialysis treatment. Which of the following finding should the nurse report to the provider? -  $\checkmark\checkmark$ -Cloudy dialysate effluent

A nurse is providing instructions for reducing the dietary intake of potassium to a client who has chronic kidney disease. Which of the following client food selections indicates an understanding of the teaching? -  $\checkmark\checkmark$ -One large raw apple

A nurse is reviewing the medical history of a client who has end stage kidney disease. The nurse should identify that which of the following in the clients history is a contraindication for receiving hemodialysis? -  $\checkmark\checkmark$ -History of hemophilia

A nurse is caring for a client who is receiving continuous bladder irrigation following a transurethral resection of the prostate. Upon the detecting an output obstruction, which of the following actions should the nurse take first? -  $\checkmark\checkmark\checkmark$ -Check the irrigation tubing for kinks

A nurse is planning care for a client with chronic kidney disease and a potassium level of 7.3 mEq/L. Which of the following interventions should the nurse plan to take? -  $\sqrt{\sqrt{\ }}$ -Infuse regular insulin in dextrose 10% in water

A nurse is providing discharge teaching to a client who has chronic kidney disease. Which of the following statements by the client indicates an understanding of the teaching? -  $\sqrt{\sqrt{-1}}$  will decrease my intake of foods that are high in phosphorus

A nurse is planning care for a group of clients. Which of the following clients should row nurse monitor for signs of

nephrotoxicity? -  $\checkmark\checkmark\checkmark$ -A client who is receiving gentamicin for the treatment of a wound infection

A nurse is reviewing the medical records of four clients. The nurse should identify which of the following disorders as a risk factor for chronic pyelonephritis -  $\sqrt{\checkmark}$ -Diabetes mellitus

A nurse is providing teaching to a client that has chronic kidney disease. Which of the following statements by the client indicates an understanding of teaching -  $\sqrt{\sqrt{-}}$  will weigh myself every morning"

A nurse is caring for a client who has acute kidney injury. Which of the following serum laboratory findings should the nurse report to the provider? -  $\sqrt{\sqrt{\ }}$ -Creatinine 4mg/dL

A nurse in a woman's health clinic is caring for a client who reports urinary urgency and dysuria. Which of the following additional findings should the nurse identify as an indication of a UTI -  $\checkmark\checkmark$ -Pyuria

A nurse is planning care for a client who is postoperative following a nephrectomy. Which of the following assessments is the nurses priority? -  $\checkmark\checkmark$ -Blood pressure

A nurse is caring for a client immediately following a kidney transplant. The nurse should identify which of the following findings as a possible indication of a delay in functioning of the transplanted kidney? -  $\sqrt{\sqrt{\ }}$ -Urine output 30mL/2 hr

A nurse is planning care for a client who has acute glomerulonephritis. The nurse should plan to provide which of the following interventions -  $\sqrt{\sqrt{\ }}$ -Wight the client daily

A nurse is obtaining a urine specimen for culture and sensitivity from a client who has manifestations of urinary tract infection. Which of the following actions should the nurse take? -  $\checkmark\checkmark$ -Instruct the client to start urinating then pass the container into the stream

A nurse is teaching a client who has urge urinary incontinence about bladder retraining. Which of the following instructions should the nurse include? -  $\sqrt{\sqrt{}}$ -"Increase the intervals between urination by 15 minutes per day when able to remain continent