ATI COMPREHENSIVE EXIT FINAL2024 Targeted Exam EXAM LATEST WITH ACTUAL QUESTIONS AND CORRECT VERIFIED ANSWERS ALREADY GRADED A+ 100% GUARANTEED PASS!

A nurse in an emergency department completes an assessment on an adolescent client that has conduct disorder. The client threatened suicide to a teacher at school. Which of the following statements should the nurse include in the assessment?

a)Tell me about your siblings?

B)Tell me what kind of music you like?

c) Tell me how often do you drink alcohol?

d) Tell me about your school schedule? - <mark>√√ANSWER√√>>Tell me how often do you</mark> drink alcohol

A nurse is observing bonding to the client her newborn. Which of the following actions by the client requires the nurse to intervene?

A- Holding the new born in an en face position

b- asking the father to change the newborns diaper

c- requesting the nurse to take the newborn nursery so she can rest

d- Viewing the newborns actions to be uncooperative - √√ANSWER√√>>Viewing the
newborns actions to be uncooperative

A nurse is caring for a client who is taking levothyroxine. Which of the following findings should indicate that the medication is effective? A- Weight loss

b- Asking the father to change the newborns diaper

c- absence of seizures

d- Decrease inflammation - ✓✓ANSWER✓✓>>Weightloss this drug acts as T4 and will normalize the effects of hypothyroidism

A nurse is planning discharge teaching for cord care for the parent of a newborn. Which instructions would you include in the teaching?

A- contact the provider if the cord still turns black

b- clean the base of the cord with hydrogen peroxide daily

c- Keep the cord dry unitl it falls off

d- The cord stump will fall off in five days -  $\sqrt{4}$ ANSWER $\sqrt{4}$ >>Keep the cord dry until it falls off (cord should be kept clean and dry to prevent infection, it will turn black, clean with neutral ph cleanser, cord falls off in 10-14 days)

A nurse is assessing a client in PACU. Which of the following findings indicates decreased cardiac output?

A- Shivering

b- oliguria

c- Bradypnea

d- Constricted pupils - **√** ANSWER**√** >>Oliguria

A nurse is assisting with mass casualty triage, explosion at a local factory. Which of the following client should the nurse identify as the priority?

A- A client that has massive head trauma

B- A client has full thickness burns to face and trunk

C- A client with indications of hypovolemic shock

D- A client with open fracture of the lower extremity - ✓✓ANSWER✓✓>>A client with indications of hypovolemic shock

A nurse is receiving report on four clients. Which of the following clients should the nurse asses first?

A- a client who has illegal conduit and mucus in the pouch

b- Client pleasant arteriovenous additional vibration palpated

c- Client whose chronic kidney disease with cloudy diasylate outflow

D- A client was transurethral resection of the prostate with red tinged urine in the bag -

 $\sqrt{4}$ ANSWER $\sqrt{4}$ >>A client whose chronic kidney disease with cloudy diasylate outflow

A nurse is caring for a client just received the first dose of lisinopril. The following is an appropriate nursing intervention?

a- place's cardiac monitoring

b- monitor the clients oxygen saturation level

c- provide standby assist with the client from bed

d- encourage foods high in potassium - ✓✓ANSWER✓✓>>Provide standby assist with the client from bed

A nurse is caring for a client who is in labor and his seat is recieving electronic fetal monitoring. The nurse is reviewing the monitor tracing and notes early decelerations. Which of the following should the nurse expect?

a-Feta hypoxia
b- abrupto placentae
c- post maturity
d- head compressions - √√ANSWER√√>>head compressions

A nurse is caring for a client who has chronic kidney disease. The nurse should identify which of the following laboratory values as an indication for hemodialysis?

a- Glomerular filtration rate of 14 ml/minute

b- BUN 16 ml/dl

c- serum magnesium 1.8 mg mg/dl

d- serum phosphorus 4.0 m mg/dl -  $\sqrt{ANSWER}\sqrt{A}$ >>glomerular filtraion rate of 14 ml/minute

A nurse is caring for an infant who has a prescription for continuous pulse oximetry. The following is an appropriate action for the nurse to take?

a- placed infant under radiant warmer

b- move the probe site every 3 hrs

c- heat the skin one minute prior to placing the program

d- placed a sensor on the index finger -  $\sqrt{4}$ ANSWER $\sqrt{4}$ >>Heat the skin one minute prior to placing the program.

A nurse in a mental health facility receives a change to shift report on for clients. Which of the following clients should the nurse plan to asses first?

a- A client placed in restraints to the aggressive behavior

b- a new limited client pleasures history 4.5 kg weight loss in the past two months c- client is receiving prn dose of health heard all two hours ago for increased anxiety d- Applied he'll be receiving his first ect treatment today -  $\sqrt{ANSWER}\sqrt{A}$ >>Cliet placed in restraints to the aggressive behavior

A nurse is planning care for a client sealed radiation implant and is to remain in the hospital for 1 week. Which o the following should the nurse include in the plan of care?

a) Remove dirty linens from the room after double bagging.

b) Wear a dosimeter film badge while in the client's room

c) Limit each of the clients is yours to one hour per day.

d) Ensure family members remain at least 3 feet from the client. -

 $\checkmark$ ANSWER $\checkmark$ >>Wear a dosimeter film badge while in the clients room

A nurse is caring for 4 clients, which of the following client should the nurse care for first?

a) A client to receive a chemotherapy treatment or first national

b) A client who has an appendectomy to these don't has diminished all soundsc) A client is hypothyroidism and his stuporous

d) A client who is a burn requiring a sterile dressing change -  $\sqrt{ANSWER}\sqrt{ANSWER}$  client is hypothyroidsm and stuporous

The nurses planning care for newly admitted adolescent who has bacterial meningitis. Which of the following instructions is appropriate for the nurse to include in the plan of care?

a) Initiate droplet precautions for the client

b) Assisted client to supine position

c) Performing Glasgow coma scale every 24 hrs

d) Recommend prophylactic acyclovir there for the clients family. -

✓✓ANSWER✓✓>>Initiate droplet precautions

Nurse is giving discharge planning instructions to a client who has new ileostomy. The nurse should recognize that the teaching has been effective when the client states ?

a) I want sure that my medications are enteric coated

b) My stoma will drain liquid fluid continuously

c) I will change my pump system every two weeks

d) My stoma size will stay the same even after healed -  $\sqrt{4}$ ANSWER $\sqrt{4}$ >>My stoma will drain liquid fluid continuously

A nurse in a providers office is interviewing a client who is requesting an oral contraceptive. Which of the following findings in the clients history is a contraindication to use in combination oral contraceptives?

a) thyroid disease

- b) Allergy to penicillin
- c) impaired liver function

d) abnormal blood glucose -  $\sqrt{4}$ ANSWER $\sqrt{4}$ >>Impaired liver function

The nurses providing teaching to a client who has mild persistent asthma has been prescribed montelukast. Which of the following statements should the nurse state for the teaching?

a) This medication can be used to help you when have an acute asthma attack

b) This medication should be taken before exercise and physical activity

c) This medication can be taken for 10 days and then gradually discontinued

d) This medication helps decrease swelling and mucus production -

 $\checkmark$ ANSWER $\checkmark$ >>This medication helps decrease swelling and mucus production

The nurse on the medical surgical unit is receiving reports on 4 clients. Which of the following clients should the nurse asses first?