ATI COMPREHENSIVE EXITV2 FINAL2024 Targeted Exam EXAM LATEST WITH ACTUAL QUESTIONS AND CORRECT VERIFIED ANSWERS ALREADY GRADED A+ 100% GUARANTEED PASS!

Sertraline adverse effect - √ANSWER√>Dry cough

Patient understands teaching of sertraline when they state - \sqrt{ANSWER} >>"It takes a few weeks for it to take effect"

Cannot donate kidney if you have what? - √√ANSWER√√>>Hypertension

Combination oral contraceptives contraindication - $\sqrt{ANSWER}/\sqrt{>>}$ Hypertension Pregnant lady wanting to exercise teaching - $\sqrt{ANSWER}/\sqrt{>>}$ drinks lots of water

Biofeedback is - $\sqrt{ANSWER}\sqrt{>}$ a technique used to learn to control your body's functions

Patient in ventricular tachycardia is found pulseless, what do you do? - $\sqrt{ANSWER}\sqrt{2}$ >defibrillate

Smallpox expected finding - $\sqrt{ANSWER}\sqrt{2}$ rash in mouth

Preventing uric acid stones - √</Preventing uric acid stones</pre>- √ANSWER

Organizing workload (time management question) - $\sqrt{4}$ ANSWER $\sqrt{4}$ > goals for the day

Signs/symptoms of preeclampsia - \sqrt{ANSWER}

Advanced directives - \sqrt{ANSWER} , $\sqrt{>>}$ do not need a lawyer

Sickle cell priority - \sqrt{ANSWER}

Pregnant woman has hepatitis C, can she breastfeed? - \sqrt{ANSWER} , as long as she doesn't have cracked nipples

Albumin is an indicator of - $\sqrt{ANSWER}\sqrt{2}$ >being well nourished

Needles disposal at home - √ANSWERshelf

Dehydration improving in baby sign - √√ANSWER√√>>flat fontanelle

Methotrexate adverse effect - $\sqrt{ANSWER}\sqrt{>>}$ high blood pressure (medication for ectopic pregnancy)

NG tube nutrition - \sqrt{ANSWER} >>increase vitamin K

24-month old should be able to what - \sqrt{ANSWER} >>walk up steps

Pregnant woman should get what vaccine - \sqrt{ANSWER}

To increase iron absorption, take with - \sqrt{ANSWER} >>vitamin C (orange juice)

When scheduling to take trough levels - \sqrt{ANSWER} >>take the level 30 minutes before the next dose is given

Burn patient fluid/electrolyte imbalance - \sqrt{ANSWER}\sqrt{>>metabolic acidosis

EEG patient teaching - \sqrt{ANSWER} >>clean hair, no conditioner or gel/hairspray in it

When taking levodopa report - \sqrt{ANSWER}

Prostate cancer radiation therapy - \sqrt{ANSWER} >>wash irradiated area with mild soap & water

Hepatitis A cleaning solution - $\sqrt{ANSWER}\sqrt{>>1:100}$ chloride solution

Pregnant woman having late decelerations, what do you do? - \sqrt{ANSWER} , $\sqrt{>}$ >position the patient in left-lateral position (placental insufficiency)

STD that must be reported to the CDC - \sqrt{ANSWER} , >>chlamydia

High pressure alarm sounds on the vent, what do you assume is the cause? - \sqrt{ANSWER} , patient biting tube

Pernicious anemia test? - \sqrt{ANSWER\sqrt{>>Schillings Test for B12 deficiency

Xerostomia - $\sqrt{ANSWER}\sqrt{2}$ >feeling of oral dryness- treat with sugarless candy or gum

Impetigo - \sqrt{ANSWER} , $\sqrt{>>}$ highly contagious skin infection that causes red sores on the face

Sign of mild anxiety - √√ANSWER√√>>extreme focus

Diverticulitis dietary teaching - √√ANSWER√√>>low fiber diet

Diverticulosis - $\sqrt{ANSWER}\sqrt{>>}$ high-fiber diet (pockets, need to bulk stool)

IBS diet - √√ANSWER√√>>high fiber

Parents nervous about how 3 year old will react with when newborn arrives - \sqrt{ANSWER} , $\sqrt{>>Provide}$ gift from the infant to the sibling (3 year old)

Methyprednisolone sodium succinate lab to watch for? - $\sqrt{ANSWER}\sqrt{>}$ Serum glucose (glucocorticoids cause hyperglycemia)

14 weeks gestation, what should patient report to the MD - \sqrt{ANSWER} >>Swelling of the face (sign of preeclampsia)

Change of shift report should include? - √√ANSWER√√>>blood lost

Patient teaching for colostomy care - $\sqrt{ANSWER}\sqrt{>>}$ Patient doesn't need to change the bag every day (needs changed every 4-7 days)

Scoliosis manifestations - \langle ANSWER \langle >> lateral curvature of the spine & asymmetrical hips/ribs/shoulders

Biohazard material spill - √√ANSWER√√>>a.Doxorubicin hydrochloride b. phenytoin c. metronidazole d. ampicillin

Methylergonovine - √√ANSWER√√>>Contraindicated in pregnancy, Category C

Administered orally for a maximum of 1 week postpartum to control uterine bleeding. Do not breastfeed

Elevated lab values for Cushing's disease - √√ANSWER√√>>Cortisol, sodium & glucose