

**Actual Exam of ATI RN**  
**Pediatric 2023 Proctored**  
**Exam With NGN: All 70**  
**Screenshot Questions and**  
**ATI Marking Scheme**  
**Answers - Latest 2024**  
**Exam**

## RN ATI Pediatric Nursing: ATI RN Pediatric Nursing Proctored Exam with NGN: 2023/2024 Exam | Complete and Comprehensive 70 Screenshot Questions with Answers and Professor Rationale to Guarantee High Score on First Attempt

ati RN Pediatric Nursing 2023 CLOSE

Question: 22 of 70 Time Remaining: 00:43:30 Pause Remaining: 00:05:00 PAUSE

A nurse is providing discharge teaching to the parents of a school-age child following surgery and cast application to the right forearm. Which of the following information is the priority for the nurse to include?

- ☐ Monitor for pallor or swelling in the child's affected hand.
- ☐ Examine the child for skin irritation at the cast edges.
- ☐ Use a hair dryer on cool setting to relieve itching.
- ☐ Restrict the child's strenuous activities for 3 days.

CONTINUE

**Answer: (A) Monitor for pallor or swelling in the child's affected hand**

Rationale: Monitoring for pallor or swelling in the child's hand is crucial as it signals possible circulation issues after cast application.

Question: 23 of 70 Time Remaining: 00:43:02 Pause Remaining: 00:05:00 PAUSE

A nurse is providing teaching to a parent of a child who has HIV. Which of the following statements by the parent indicates an understanding of the teaching?

- ☐ "My child will need to repeat his childhood immunizations once he is in remission."
- ☐ "My child will need to double his medications for the next 6 months."
- ☐ "I will ensure that my child is tested for tuberculosis every year."
- ☐ "The risk of transmission decreases once my child is on zidovudine for 2 weeks."

CONTINUE

Full screen mode is in effect during your proctored testing.  
Please Note: Attempting to exit out of full screen mode or pressing the escape button will result in an alert message sent to the proctor and may result in the termination of the assessment.  
Copyright © 2023 Assessment Technologies Institute, L.L.C. All rights reserved.

**Answer: (C) I will ensure that my child is tested for tuberculosis every year**

Rationale: Children with HIV need annual tuberculosis testing due to their weakened immune system, which increases TB risk.

ati RN Pediatric Nursing 2023

Question: 24 of 70

Time Remaining: 00:42:26  
Pause Remaining: 00:05:00

A nurse is planning care for a preschooler who has neutropenia. Which of the following interventions should the nurse include in the plan?

- ☐ Bathe the child every other day.
- ☐ Administer vaccines prior to discharge.
- ☐ Avoid raw fruits and vegetables in the child's diet.
- ☐ Obtain the child's rectal temperature once daily.

CONTINUE

Full screen mode is in effect during your proctored testing.  
Please Note: Attempting to exit out of full screen mode or pressing the escape button will result in an alert message sent to the proctor and may result in the termination of the assessment.

Copyright © 2023 Assessment Technologies Institute, L.L.C. All rights reserved.

**Answer: (C) Avoid raw fruits and vegetables in the child's diet**

**Rationale:** For a child with neutropenia, avoiding raw fruits and vegetables is essential to reduce infection risk from bacteria on uncooked foods.

A nurse is caring for an adolescent who is admitted with a vaso-occlusive crisis.

Exhibit 1 Exhibit 2 Exhibit 3 Exhibit 4

**History and Physical**

A 15-year-old adolescent is admitted for a vaso-occlusive crisis. The parent reports that the adolescent has a low-grade fever and has vomited for 3 days. The adolescent reports having right-sided and low back pain. They also report hands and right knee are painful and swollen. The client reports pain as 8 on a scale of 0 to 10.

The nurse is planning care for the adolescent.

Select the 5 interventions the nurse should include.


- ☐ Apply cold compresses to the affected joints.
- ☐ Give oral hydroxyurea.
- ☐ Instruct the parent to ensure the pneumococcal vaccine is current.
- ☐ Restrict oral intake.
- ☒ Monitor oxygen saturation continuously.
- ☒ Place the client on strict bed rest.
- ☒ Administer meperidine IV for pain.
- ☐ Administer folic acid as prescribed.

CONTINUE

**Answer and Rationale:**


• Administer **folic acid as prescribed**: Folic acid helps stimulate the production of new red blood cells, which is critical in sickle cell disease to counter the chronic destruction of red blood cells during a vaso-occlusive crisis.

- Monitor **oxygen saturation continuously**: Continuous monitoring is important because a sickle cell crisis can reduce oxygen supply to tissues. Ensuring adequate oxygen levels helps prevent further complications.
- Instruct **the parent to ensure the pneumococcal vaccine is current**: Sickle cell patients are more prone to infections due to impaired spleen function. Keeping vaccinations, like the pneumococcal vaccine, up to date helps prevent infections.
- Apply **cold compresses to the affected joints**: Cold compresses can alleviate pain and swelling in the joints during a sickle cell crisis, providing non-pharmacological pain relief.
- Give **oral hydroxyurea**: Hydroxyurea increases fetal hemoglobin levels, improving the quality of red blood cells and reducing the frequency and severity of painful vaso-occlusive crises.



**Answer: (A) Clear the Area of hard objects**

Rationale: Clearing the area of hard objects prevents potential injuries to the person experiencing a seizure, ensuring their safety during the episode.



**Answer: (B) Provide a doll for your 3 year old child to imitate parental behaviours**

Rationale: Providing a doll helps a 3-year-old imitate parental behaviors, promoting understanding, involvement, and nurturing role-play in their development